




Submittal Data Sheet

Branch Selector Box (4-Port)

BS4Q54TVJ

FEATURES

- Individual control and changeover with extended range of product offerings - 4, 6, 8, 10 and 12 port options.
- Up to 54 MBH capacity per port.
- Lower sound levels thanks to simplified mechanical design, when compared to VRV III models.
- Ultimate design flexibility - single and multi-port units can be combined in one system.
- Quick installation due to fewer brazing points and less wiring.
- Unlimited number of unused ports per box or system.
- Low built-in height.
- No drain piping needed.
- Standard Limited Warranty: 10-year warranty on all parts.





Submittal Data Sheet

Branch Selector Box (4-Port)

BS4Q54TVJ

PERFORMANCE

Indoor Unit Model No.	BS4Q54TVJ	Indoor Unit Name:	Branch Selector Box (4-Port)
-----------------------	-----------	-------------------	------------------------------

Type:		Rated Cooling Conditions:	Indoor (°F DB/WB): / Ambient (°F DB/WB): /
-------	--	---------------------------	---

Rated Cooling Capacity (Btu/hr):	144,000	Rated Heating Conditions:	Indoor (°F DB/WB): / Ambient (°F DB/WB): /
----------------------------------	---------	---------------------------	---

Sensible Capacity (Btu/hr):		Rated Piping Length(ft):	
-----------------------------	--	--------------------------	--

Cooling Input Power (kW):	0.040	Rated Height Separation (ft):	
---------------------------	-------	-------------------------------	--

INDOOR UNIT DETAILS

Power Supply (V/Hz/Ph):	208-230 / 60 / 1	Airflow Rate (H) (CFM):	
-------------------------	------------------	-------------------------	--

Power Supply Connections:		Moisture Removal (Gal/hr):	
---------------------------	--	----------------------------	--

Min. Circuit Amps MCA (A):	0.40	Gas Pipe Connection (inch):	7/8
----------------------------	------	-----------------------------	-----

Max Overcurrent Protection (MOP) (A):	15.00	Liquid Pipe Connection (inch):	3/8
---------------------------------------	-------	--------------------------------	-----

Dimensions (HxWxD) (in):	11-3/4 x 14-9/16 x 18-15/16	Condensate Connection (inch):	
--------------------------	-----------------------------	-------------------------------	--

Net Weight (lb):	49	Sound Pressure () (dBA):	
------------------	----	---------------------------	--

Ext. Static Pressure (Rated/Max) (inWg):	/	Sound Power Level (dBA):	
--	---	--------------------------	--

Submittal Data Sheet

Branch Selector Box (4-Port)

BS4Q54TVJ

DIMENSIONAL DRAWING

